

**Summary Report on 2018 Residue Monitoring of Irish Farmed Finfish  
&  
2018 Border Inspection Post Fishery Product Testing undertaken at the Marine Institute**



**Report Number: CHEMREP 2019-001**

**September 2019**

**Version No: 1**



*Marine Institute*  
*Foras na Mara*

**Summary Report on  
2018 Residue Monitoring of Irish Farmed Fish  
&  
2018 Border Inspection Post Fishery Product Testing undertaken  
at the Marine Institute**

**September 2019**

**CHEMREP 2019-001**

**Marine Institute**

*Rinville, Oranmore, County Galway*



## **AUTHORS**

Denise Glynn, Evin McGovern, Corinne Kelly, Rebecca Moffat and Eadaoin Farragher.

## **ACKNOWLEDGEMENTS**

MI team: Denise Glynn, Corinne Kelly, Rebecca Moffat, Antoinette Reid, Eadaoin Farragher, Linda O’Hea, Brian Boyle, Eileen Joyce, Laura Brophy, Cathy Hickey, Michelle Geary, Neil Ruane and Evin McGovern.

The Marine Institute acknowledges the assistance of the following in delivering the 2018 residues programme for aquaculture; Department of Agriculture, Food & the Marine, Food Safety Authority of Ireland, Sea Fisheries Protection Authority and the ongoing co-operation of the aquaculture industry.

# **INDEX**

## **PART A**

<u><b>SUMMARY REPORT ON 2018 RESIDUE MONITORING OF FARMED FINFISH</b></u>	<b>5</b>
<u><b>1. 2018 OVERALL SUMMARY</b></u>	<b>5</b>
<u><b>2. BACKGROUND</b></u>	<b>7</b>
<u><b>3. SAMPLING</b></u>	<b>11</b>
<u><b>4. RESULTS OF ANALYSIS</b></u>	<b>12</b>
4.1 <u>INTERPRETATION OF RESULTS</u>	12
4.2 <u>BREAKDOWN OF 2018 RESULTS</u>	13
4.2.1 <u>Group A – Banned Substances</u>	15
4.2.2 <u>Group B – Veterinary Drugs and Contaminants</u>	15

<u><b>PART B</b></u>	<b>21</b>
----------------------	-----------

<u><b>SUMMARY REPORT ON 2018 BORDER INSPECTION POSTS PRODUCT TESTING UNDERTAKEN AT THE MARINE INSTITUTE</b></u>	<b>21</b>
---	-----------

<u><b>APPENDIX 1: SOURCE OF MAXIMUM RESIDUES LIMITS, DECISION LIMITS AND GUIDELINE VALUES USED FOR COMPARISON WITH THE RESULTS FOR 2018</b></u>	<b>23</b>
---	-----------

<u><b>APPENDIX 2: ACCREDITATION TO ISO 17025</b></u>	<b>24</b>
--	-----------

<u><b>APPENDIX 3: QUALITY CONTROL</b></u>	<b>25</b>
---	-----------

<u><b>APPENDIX 4: METHODS OF ANALYSIS</b></u>	<b>26</b>
---	-----------

<u><b>APPENDIX 5: 2018 PLAN FOR THE MONITORING AND DETECTION OF RESIDUES IN AQUACULTURE PRODUCTS</b></u>	<b>29</b>
--	-----------

<u><b>APPENDIX 6: ANNUAL PLAN FOR SAMPLING FISHERY PRODUCTS AND OTHER SEAFOOD AT BORDER INSPECTION POSTS. DUBLIN PORT 2018</b></u>	<b>36</b>
--	-----------

## Part A

### Summary Report on 2018 Residue Monitoring of Farmed Finfish

*Carried out under Council Directive 96/23/EC of 29 April 1996  
on measures to monitor certain substances and residues  
thereof in live animals and animal products.*

#### 1. 2018 OVERALL SUMMARY

In 2018, in excess of 920 tests and a total of 2,611 measurements were carried out on 171 samples of farmed finfish for a range of residues. Implementation of the Aquaculture 2018 Plan involves taking samples at both farm and processing plant:

- 123 target samples taken at harvest: 110 farmed salmon and 13 freshwater trout.
- 48 target samples were taken at other stages of production: 40 salmon smolts and 8 freshwater trout.

**All 2018 samples were compliant.** For target sampling of farmed fish, a summary table of the residue results from 2005 - 2018 is outlined in Table 1. Overall, the outcome for aquaculture remains one of consistently low occurrence of residues in farmed finfish, with no non-compliant target residues results for the period 2006-2014, 0.11% and 0.10% non-compliant target residues results in 2015 and 2016 respectively and no non-compliant target results in 2017 and 2018.

**Table 1: Summary Target Results for Residue program 2005-2018**

<b>Year</b>	<b>No. of Target Samples<sup>1</sup></b>	<b>Total Group A<sup>2</sup></b>	<b>Total Group B<sup>2</sup></b>	<b>No. of Results<sup>3</sup> /non-compliant</b>	<b>Non-Compliant Results (%)</b>
<b>2005</b>	164 (105 , 59)	163/0	164/0	2251/2	<b>0.09</b>
<b>2006</b>	162 (104 , 58)	162/0	162/0	2207/0	<b>0</b>
<b>2007</b>	161 (103 , 58)	148/0	161/0	2219/0	<b>0</b>
<b>2008</b>	162 (103 , 59)	144/0	162/0	2073/0	<b>0</b>
<b>2009</b>	146 (98 , 48)	128/0	146/0	1750/0	<b>0</b>
<b>2010</b>	141 (92 , 49)	109/0	141/0	1569/0	<b>0</b>
<b>2011</b>	140 (92 , 48)	105/0	140/0	1566/0	<b>0</b>
<b>2012</b>	169 (112 , 57)	101/0	169/0	1596/0	<b>0</b>
<b>2013</b>	137 (91 , 48)	83/0	137/0	1494/0	<b>0</b>
<b>2014</b>	136 (91 , 45)	83/0	136/0	1882/0	<b>0</b>
<b>2015</b>	124 (91 , 33)	71/0	124/2	1841/2	<b>0.11</b>
<b>2016</b>	126 (92 , 34)	65/0	126/2	1933/2	<b>0.10</b>
<b>2017</b>	141 (103 , 38)	72/0	141/0	2250/0	<b>0</b>
<b>2018</b>	171 (123 , 48)	108/0	171/0	2611/0	<b>0</b>

<sup>1</sup>Target samples (sampled at harvest, sampled at other stages of production)

<sup>2</sup> No. of samples tested/No. of samples non-compliant

<sup>3</sup>Total no. of results as target samples taken for Group A and Group B substances are tested for multiple residue categories within each group/No. of non-compliant results

## 2. BACKGROUND

As with other farmed animals, farmed finfish can be subject to disease and infestation which can have animal welfare, environmental and commercial implications. Therefore, authorised veterinary medicines and treatments may be used, and sometimes must be used, to control disease and infestation as part of health control plans e.g. antibacterial and antiparasitic treatments. The National Residues Control Plan (NRCP) sets out the monitoring requirements for residues in animal products in accordance with Council Directive 96/23/EC of 29 April 1996 *on measures to monitor certain substances and residues thereof in animals and animal products*.

On behalf of the Department of Agriculture, Food and Marine (DAFM), the Marine Institute carries out monitoring of chemical residues for aquaculture. The main objectives of the NRCP for Aquaculture are to ensure farmed fish are fit for human consumption, to provide a body of data showing that Irish farmed fish is of high quality, to promote good practices in aquaculture and to comply with EU Directive 96/23/EC.


The Food Safety Authority of Ireland (FSAI) co-ordinates the activities of the various departments and agencies involved in delivering this programme. For the aquaculture sector, the Sea Fisheries Protection Authority (SFPA) with technical support from the Marine Institute is responsible for residue controls on farmed finfish to ensure compliance with the Residue Directive (96/23/EC). A summary of each department and agencies' role with respect to the NRCP is outlined in Table 2.

**Table 2:** Department and Agency Roles

<b>Department of Agriculture Food and Marine (DAFM)</b> - Implements the overall residues controls in Ireland
<b>Food Safety Authority of Ireland (FSAI)</b> - Coordinates the activities of the departments and agencies involved
<b>Sea Fisheries Protection Authority (SFPA)</b> - Ensures compliance with the Directive for finfish aquaculture
<b>Marine Institute</b> - Implements the surveillance monitoring programme for farmed fish and is the official laboratory for residue sampling and analysis. The MI is National Reference Laboratory (NRL) for a number of substances in aquaculture
<b>DAFM Veterinary Inspectors</b> - Carry out routine on-farm inspections to verify compliance with various regulations including fish health, animal remedies, feedstuffs, etc

## 2.1 National Residue Control Plan (NRCP)

Annually, the Marine Institute (MI) prepares the NRCP for Aquaculture, which is reviewed and finalised by SFPA, FSAI and DAFM. The NRCP once agreed is then submitted to the European Commission (EC) for approval, this sets out the monitoring plan, including species, sample numbers and target substances in line with the specific requirements of the Directive. The national legal basis for the Residue Monitoring Plan is provided for in the Animal Remedies Act, 1993 and other relevant legislation in particular, the Control of Animal Remedies and their Residues Regulations, 2009. Figure 1 illustrates the National Aquaculture Residue Control Cycle. The 2018 NRCP is available in Appendix 5.



**Figure 1:** National Aquaculture Residue Control Cycle



## 2.2 Scope of NRCP

The scope of this testing under the NRCP is comprehensive covering the following broad categories outlined in Table 3.

**Table 3:** NRCP testing categories

Category	Details
<b>Banned</b>	These compounds should <b><u>not</u></b> be present as no safe limit can be set for their residue e.g. steroids, chloramphenicol, nitroimidazoles
<b>Authorised</b>	Authorised medicines which may be used in aquaculture and should be <b><u>below statutory limit</u></b> (i.e. Maximum Residue Limit – MRL*) e.g. Sea lice treatments- emamectin, deltamethrin
<b>Unauthorised</b>	These compounds should <b><u>not</u></b> be present as these treatments should <b><u>not be used</u></b> in aquaculture. e.g. malachite green
<b>Environmental contaminants</b>	Certain contaminants occur naturally in the environment but they may also be introduced inadvertently and may accumulate in fish e.g. polychlorinated biphenyls (PCBs), organochlorine pesticides (OCPs), heavy metals

\*MRL = maximum concentration allowable in the edible portion of the animal which should not be exceeded at the time of harvest.

These substances are classed into 2 categories: Group A and Group B. Details are given in Table 4.

**Table 4:** List of substances included in the NRCP for farmed finfish

Group A–Substances having an anabolic effect	
<b>A3</b>	Steroids
<b>A6</b>	Compounds included in Annex IV of Council Regulation 2377/90/EC
Group B- Veterinary drugs and contaminants	
<b>B1</b>	Antimicrobials (Antibacterial)
<b>B2a</b>	Anthelmintics (Antiparasitic)
<b>B2c</b>	Pyrethroids
<b>B2f</b>	Other pharmacologically active substances
<b>B3a</b>	Organochlorine compounds
<b>B3c</b>	Chemical elements
<b>B3d</b>	Mycotoxins
<b>B3e</b>	Dyes

**Group A:**

Group A substances are banned substances and should not be present in farmed finfish. These can be categorised as the following:

- A3 steroids, beta-oestradiol and methyltestosterone which occur naturally but also could be used for growth promotion.
- A6 compounds, nitrofurans and nitroimidazole which are antibacterial drugs, and chloramphenicol a broad spectrum antibiotic.

**Group B:**

Group B substances can be categorised into unauthorised substances, authorised substances and environmental contaminants. Farmed finfish can be subject to disease and infestation which can have animal welfare, environmental and commercial implications. Therefore, similar procedures are in place for farmed finfish as for other farmed animals which may involve treatment with approved veterinary medicines such as antibiotics or anthelmintics to prevent or treat disease or infestation e.g. antibacterial agents, antifungal agents, antiparasitic treatments. Farmed finfish can also accumulate trace metals and persistent organic pollutants from their feed or the environment; therefore, levels of these contaminants are also determined.

### 3. SAMPLING

In 2018, samples were taken in accordance with Council Directive 96/23/EC by Marine Institute Authorised Sampling Officers (Authorised under the Animal Remedies Act 1993). The Institute ensures that sampling is unforeseen, unexpected and without prior warning in accordance with Article 3 of Regulation 882/2004 and Article 12 of Council Directive 96/23/EC and a strict chain of custody is maintained. Samples are taken throughout the year in an effort to spread sampling across different sites and are taken in accordance with the NRCP i.e.

- One third of the samples are taken ‘on farm’ at the smolt stage which is aimed at detection of illegal treatment (prohibited substances Group A and unauthorised substances Group B3 (e) - Dyes).
- Two thirds of the samples are taken at harvest stage which is aimed at controlling the compliance with the Maximum Residue Limits (MRL) and for detection of illegal treatment (prohibited substances Group A and unauthorised substances-e.g. Group B3 (e) - Dyes). These harvest samples are taken primarily at processing plants for salmon and ‘on farm’ for freshwater trout.

In 2018, a total of 171 target (surveillance) samples were taken from fish farms and processing plants in accordance with the NRCP for Aquaculture 2018 (Appendix 5).

- 48 target samples were taken at other stages of production (OSOP); 40 salmon smolts and 8 freshwater trout were collected from 10 farms for Group A substances and malachite green.
- 123 target samples were taken at harvest which comprised of 110 farmed salmon and 13 freshwater trout. These harvest samples were collected during 25 sampling events (samples collected from a given site at a given time) throughout the year. Salmon were collected on 22 occasions and freshwater trout on 3 occasions. In 2018 no sea reared trout samples were taken. Samples were collected from the same producers on a number of occasions due to the small number of active harvest sites in the given year.

Generally, 5 fish were taken from each producer and each individual fish was treated as a sample. However, where an individual fish was not large enough to provide sufficient test material, a number of fish were pooled to provide a sample. Samples were further subsampled as multiple tests were typically performed on individual samples.

## 4. RESULTS OF ANALYSIS

### 4.1 Interpretation of Results

Samples are tested for a broad range of substances using a variety of modern analytical techniques. The scope of testing under the Aquaculture Plan is comprehensive covering four broad categories: banned substances, unauthorised substances, authorised substances (approved substances i.e. veterinary substances) and environmental contaminants. Details of the methods and subcontract laboratories used are provided in Appendix 4.

Where a Maximum Residue Limit (MRL) has been set, samples are deemed non-compliant (i.e. positive) if concentrations of a given residue are confirmed to be in excess of the MRL.

Where no MRL is set, {e.g. for banned substances including steroids and compounds listed in Commission Regulation (EU) No 37/2010 (Table 4) and for unauthorized substances}, a Decision Limit (action level) is used. Samples are deemed non-compliant if concentrations of a given residue are confirmed to be in excess of the Decision limit (action level).

Follow up action is taken on confirmed positive samples. The sources of MRLs and Decision Limits (action level) are specified in Appendix 1.

Organochlorine compounds including Polychlorinated Biphenyls (PCBs) are persistent environmental contaminants that accumulate in lipid-rich animal tissue. For PCBs, typically, a group of indicator congeners are measured “EFSA PCB 6” which is the sum of the following 6 CB congeners – PCB 28, 52, 101, 138, 153, 180 and the Commission have set a Maximum Level (ML) of 75  $\mu\text{g kg}^{-1}$  wet weight. For Organochlorine Pesticides (OCPs) there are no MRL/MLs; however, a number of OSPAR contracting countries have set levels that are presented in this report (Appendix 1).

Maximum levels for mercury, cadmium and lead in fisheries products are set out in Commission Regulation (EC) No 1881/2006 as amended *setting maximum levels for certain contaminants in foodstuffs*. For salmon and trout, the levels specified are 0.3  $\text{mg kg}^{-1}$  for lead, 0.05  $\text{mg kg}^{-1}$  for cadmium and 0.5  $\text{mg kg}^{-1}$  for mercury. These are taken as the “action levels” for the following report.

A comprehensive quality assurance programme supports the monitoring programme and is detailed in Appendix 2 and 3.

## 4.2 Breakdown of 2018 Results

In 2018, in excess of 920 tests and a total of 2,611 measurements were carried out on 171 target samples of farmed finfish. **All 2018 samples were compliant.**

**Table 5:** Summary of 2018 residue monitoring results for target farmed fish samples (salmon and trout). All tests performed on muscle and skin.

RESIDUE	NUMBER TESTED	NON-COMPLIANT <sup>1</sup>	DETECTION LIMIT <sup>2</sup> (µg kg <sup>-1</sup> )
<b>Group A3 – Steroids</b>			
Methyltestosterone	57	0	1.5
17β-oestradiol	12	0	1.5
<b>Group A6 - Compounds included in Annex IV of Council Regulation 2377/90/EC</b>			
Chloramphenicol	57	0	0.25
Nitrofurans	12	0	<i>See Appendix 5 for cc alphas</i>
Nitroimidazoles	12	0	<i>See Appendix 5 for cc alphas</i>
<b>Group B1 - Antibacterial Substances</b>			
Tetracyclines: Oxytetracycline	123	0	100 (screening)
Quinolones: Oxolinic acid	123	0	75(screening)
Flumequine			150(screening)
Florfenicol	123	0	750(screening)
Sulphonamides: Sulphadiazine	123	0	50(screening)
<b>Group B2a – Anthelmintics</b>			
Emamectin B1a	123	0	9.0
Ivermectin	123	0	0.1
Doramectin	123	0	0.1
<b>Group B2c – Pyrethroids</b>			
Cypermethrin	123	0	5
Deltamethrin	123	0	5
<b>Group B2f - Other pharmacologically active substances</b>			
Corticosteroids	30	0	1.5
Teflubenzuron	123	0	80
Diflubenzuron	123	0	86
<b>Group B3a- Organochlorine Compounds</b>			
EFSA sum of 6 CBs	20	0	0.1416
DDT and metabolites <sup>5</sup>	10	0	0.0575
α-HCH	10	0	0.0237
β-HCH	10	0	0.0237
γ-HCH (lindane)	10	0	0.0237
δ –HCH	10	0	0.0237
Hexachlorobenzene	10	0	0.0473
Pentachlorobenzene	10	0	0.0473
Aldrin + dieldrin <sup>6</sup>	10	0	0.0238
Endrin	10	0	0.0307

**Table 5 (continued):** Summary of 2018 residue monitoring results for target farmed fish samples (salmon and trout). All tests performed on muscle and skin.

RESIDUE	NUMBER TESTED	NON-COMPLIANT <sup>1</sup>	DETECTION LIMIT <sup>2</sup> (µg kg <sup>-1</sup> )
<b>Group B3a- Organochlorine Compounds</b>			
Toxaphene 26	10	0	0.0473
Toxaphene 50	10	0	0.0473
Toxaphene 62	10	0	0.1128
Heptachlor	10	0	0.00958
Mirex	10	0	0.00958
<i>cis</i> -heptachlorepoide	10	0	0.0142
<i>trans</i> -heptachlorepoide	10	0	0.0289
Octachlorostyrene	10	0	0.00473
<i>trans</i> -nonachlor	10	0	0.00958
Oxychlordan	10	0	0.0473
<i>trans</i> -chlordan (γ- chlordan)	10	0	0.0473
<i>cis</i> -chlordan (α-chlordan)	10	0	0.01038
<b>Group B3c – Chemical Elements<sup>7</sup></b>			
Lead	10	0	7
Cadmium	10	0	1
Mercury	10	0	2
<b>Group B3d – Mycotoxins</b>			
Aflatoxins	6	0	0.006
<b>Group B3e – Dyes</b>			
Malachite Green	80	0	0.5
Leuco Malachite Green	80	0	0.5
Crystal Violet	80	0	0.5
Leuco Crystal Violet	80	0	0.5
Victoria Blue	80	0	0.5
Brilliant Green	80	0	0.5
<b>Other – Non-NRCP Testing</b>			
Ethoxyquin <sup>8</sup>	10	-	0.01
Ethoxyquin Dimer <sup>8</sup>	10	-	0.01

<sup>1</sup> Action limits to evaluate non-compliant results in Appendix 1

<sup>2</sup> Limit of Detection (LOD) for organochlorine compounds are averages as LOD is sample dependent.

<sup>4</sup> EFSA PCB 6: sum of the following 6 non dioxin like PCBs–PCB 28, 52, 101, 138, 153, 180. Commission Regulation No 1259/2011 (came into force 1st Jan 2012) amending Regulation No. 1881/2006 *setting maximum levels for dioxins, dioxin-like PCBs and non dioxin-like PCBs in foodstuffs*.

<sup>5</sup> DDT and metabolites – sum of individual DDT metabolites (o,p’DDT, p,p’ DDT, o,p’DDE, p,p’ DDE o,p’DDD, and p,p’ DDE) – sum of individual LODs also included.

<sup>6</sup> Aldrin + dieldrin sum - sum of individual LODs also included.

<sup>7</sup>For additional metals tested in 2018 refer to Table 6 for details; these additional metals are internally validated only (not accredited), no maximum limit or guidance levels for these additional metals are set for fish.

<sup>8</sup> no maximum limit or guidance levels set for fish.

#### 4.2.1 Group A – Banned Substances

A total of 108 samples (other stage of production and harvest) were tested for at least one Group A compound.

##### Group A3: Steroids

63 individual samples were tested by the Irish Equine Centre (IEC) for Group A3 Steroids:

- **Methyltestosterone** – 57 samples were screened for methyltestosterone by Enzyme-Linked ImmunoSorbant Assay (ELISA) method.
- **17 $\beta$ -oestradiol** – 12 samples were screened for 17 $\beta$ -oestradiol by ELISA method.

**No non-compliant (i.e. no positive) results were reported for Group A3 compounds.**

##### Group A6: Compounds included in Annex IV of Council Regulation 2377/90/EC

66 individual samples were tested for Group A6 Compounds.

- **Chloramphenicol** – 57 samples were screened for chloramphenicol by IEC laboratory using an ELISA method.
- **Nitrofurans** – 12 samples were analysed by Teagasc Food Research Centre (TFRC) for the marker metabolites of the nitrofurans; furazolidone, furaltadone, nitrofurantoin and nitrofurazone using a quantitative (LCMSMS) method.
- **Nitroimidazole** – 12 samples analysed by TFRC for nitroimidazole and its metabolites<sup>1</sup> by a quantitative (LCMSMS) method.

**No non-compliant (i.e. no positive) results were reported for Group A6 compounds.**

#### 4.2.2 Group B – Veterinary Drugs and Contaminants

A total of 171 samples of farmed finfish were tested for Group B compounds which can be classed as authorised substances, unauthorised substances or environmental contaminants.

**No non-compliant (i.e. no positive) results were reported for Group B compounds.**

##### Group B1: Antibacterial Substances

- **Sulphonamides** – 123 samples were screened for sulphonamides by the Marine Institute (MI) using an Immunoassay method (Randox Evidence investigator).

**No non-compliant (i.e. no positive) results were obtained for sulphonamides.** Although two samples from two farms gave a screening reading above the screening cut-off for sulphonamides,

---

<sup>1</sup> The following nitroimidazole metabolites are listed on the NRCP-dimetridazol, ronidazol, metronidazol, hydroxyl-dimetridazol, hydroxyl-metronidazol

these samples were found to be **compliant** when further quantitative confirmatory LCMSMS analysis by EURL (ANSES) was carried out and no further action was required.

- **Quinolones, tetracyclines, florfenicol** – 123 samples were analysed by the MI for the following antibacterial substances quinolones, tetracyclines and florfenicol using a qualitative screening method.

**No non-compliant (i.e. no positive) results were obtained for quinolones, tetracyclines or florfenicol**

#### **Group B2: Other veterinary drugs**

With the exception of corticosteroids, these are authorised and unauthorised substances that could be used in treating sea-lice infestation.

- **B2(a) Anthelmintics** (Ivermectin, emamectin B1a, doramectin) - 123 harvest samples were analysed for the above anthelmintics using UPLC-FLU in the MI. **No non-compliant results were obtained.**

- **B2(c) Pyrethroids** (Cypermethrin, deltamethrin) – 123 harvest samples were analysed for the above pyrethroids using GC-MS by subcontract laboratory FERA. **No non-compliant results were obtained.**

- **B2(f) Other pharmacologically active substances**

**Teflubenzuron, diflubenzuron** – 123 harvest samples were analysed by the MI for teflubenzuron, diflubenzuron using UPLC-DAD. **No non-compliant results were obtained.**

**Corticosteroids (dexamethasone, flumethasone and betamethasone)** – 30 samples (other stage of production and harvest) were screened by the IEC for the above corticosteroids using the ELISA method. One of these samples from one farm gave a screening reading above the cut-off for corticosteroids, this sample was found to be compliant when further quantitative LCMSMS screening by EURL (RIKILT) was carried out and no further action was required. **No non-compliant results were obtained for corticosteroids.**

#### **Group B3a: Organochlorine Compounds**

- **Polychlorinated Biphenyls**

Polychlorinated Biphenyls are a group of homologous man-made substances with a molecular structure comprising of a chlorinated biphenyl ring. PCBs are persistent environmental



contaminants that accumulate in lipid and can be present at levels of concern in fish. PCBs can be divided into groups according to their toxicological properties e.g. dioxin-like PCBs, non dioxin-like PCBs. As part of the NRCP, it is primarily the following six non dioxin-like PCBs (NDL-PCB) which are monitored; PCB 28, 52, 101, 138, 153 and 180 and analysed by Eurofins. These NDL-PCBs are routinely used as a monitoring indicator as they are generally presumed to be the most persistent in fish tissue and comprise about half of the amount of total PCB present in feed and food. European legislation (Commission Regulation (EU) No 1259/2011 amending Regulation (EC) 1881/2006) has fixed maximum levels for dioxins, dioxin-like PCBs and non-dioxin-like PCBs in foodstuffs. In the case of NDL-PCBs the maximum level of 75  $\mu\text{g kg}^{-1}$  wet weight has been set for the sum of these six congeners. The mean and maximum concentrations measured for the sum of 6 indicator PCBs was 6.76 and 10.9  $\mu\text{g kg}^{-1}$  wet weight respectively (Table 6).

**None of the 20 harvest samples analysed exceeded the standard for the sum of 6 PCBs (Table 6 provides details of number of samples tested and the concentration range).**

#### **Organochlorine pesticides**

Organochlorine pesticides are synthetic substances used for pest control that are persistent and widespread in the marine environment despite the fact that their use has largely been phased out over recent decades. A number of OCPs are included in residues testing including DDT and its breakdown products. Chlorinated pesticides behave similarly to PCBs in the environment and do not have maximum concentrations in fish set by the EC. Due to their chemical properties (fat solubility) these substances bio-accumulate in fish tissue and also bio-magnify through the marine food chain. A number of OSPAR contracting countries have set standards/guidance values for certain OCPs and Appendix 1 presents the strictest of these in so far as Marine Institute is aware.

**All the harvest samples (10 samples) analysed by Eurofins for chlorinated pesticides were below these levels and were reported as compliant**

#### **Group B3c: Chemical elements**

Levels of mercury, cadmium and lead were all very low and well below the relevant European maximum limits in all of the samples tested (Appendix 1) by the MI. Mercury has a maximum limit set in fish of 0.5  $\text{mg kg}^{-1}$  wet weight. The highest mercury concentration obtained for the 10 samples analysed was 0.07  $\text{mg kg}^{-1}$  wet weight. Cadmium, also an environmental contaminant, has a maximum limit set in fish of 0.05  $\text{mg kg}^{-1}$  wet weight and cadmium was not detected above the limit of detection (LOD) of 0.001  $\text{mg kg}^{-1}$  wet weight. Lead has a maximum limit set in fish of 0.3  $\text{mg kg}^{-1}$  wet weight. The highest lead concentration obtained for the 10 samples analysed was <0.02  $\text{mg kg}^{-1}$  wet weight. Table 6 provides a breakdown of the number of samples tested

and the concentration range for the samples tested. **All 10 harvest samples were reported as compliant for mercury, lead and cadmium.**

In addition, in 2018 the following metals were analysed (arsenic, chromium, copper, nickel, silver, zinc, aluminium, cobalt, iron, manganese, selenium and vanadium) by the MI. These additional metals are internally validated but are not accredited. Table 6 provides details of a number of samples analysed and the concentration range of these metals in samples. At present for these metals there is **no maximum limit or guidance levels set for fish.**

**Table 6: Trace metal (mg kg<sup>-1</sup>) and PCB (µg kg<sup>-1</sup>) concentrations and maximum limits**

Parameter	Median / Mean	Range	EC Max Limit	Number Tested
<b>Mercury</b>	0.04/ 0.04	0.02 – 0.07	0.5	10
<b>Cadmium</b>	nd (<0.001)	nd (<0.001)	0.05	10
<b>Lead</b>	nd (<0.007)	nd (<0.007) - <0.02	0.3	10
<b>EFSA PCB 6<sup>1</sup></b>	6.7 / 6.76	2.34 – 10.9	75	20
<b>Other metals</b>				
<b>Arsenic</b>	1.51 / 1.49	0.72 – 2.24	-	10
<b>Chromium</b>	0.04 / 0.04	0.02 -0.10	-	10
<b>Copper</b>	0.40 / 0.39	0.28 – 0.50	-	10
<b>Nickel</b>	0.06 / 0.06	0.03 – 0.09	-	10
<b>Silver</b>	nd (<0.0003)	nd (<0.0003)	-	10
<b>Zinc</b>	4.55 / 5.05	3.16 – 7.92	-	10
<b>Aluminium</b>	nd (<0.62)	nd (<0.62) – 0.77	-	10
<b>Cobalt</b>	0.003 / 0.003	0.002 – 0.007	-	10
<b>Iron</b>	2.66 / 2.61	1.95 – 3.36	-	10
<b>Manganese</b>	0.18 / 0.26	0.05 - 0.71	-	10
<b>Selenium</b>	0.26 / 0.24	0.15 – 0.31	-	10
<b>Vanadium</b>	0.004 / 0.004	0.003 – 0.007	-	10

For values reported as “nd”, substances were not detected above the Limit of Detection (LOD is given in brackets)

<sup>1</sup>EFSA PCB 6: sum of the following non-dioxin like PCBs-PCB 28, 52, 101, 138, 153, 180

### **Group B3d: Mycotoxins**

A mycotoxin is a toxic by-product of mould growth in feed and can remain as a residue in meat tissue. The amount and type of mycotoxin varies with environmental conditions such as temperature and humidity.

The NRCP for Aquaculture 2018 analysed for the following mycotoxins: aflatoxin B1, aflatoxin B2, aflatoxin G1 and aflatoxin G2. Aflatoxin B1 is the most common in food and amongst the most potent genotoxic and carcinogenic aflatoxin. All aflatoxins were reported as  $<0.01 \mu\text{g kg}^{-1}$  (wet weight) in the 6 samples tested by Wessling.

**Currently there are no maximum limits set for aflatoxins in fish.**

### **Group B3e: Dyes**

The following triphenylmethane dyes are analysed in the MI as part of Group B3e substances, malachite green and its metabolite leuco malachite green, brilliant green, crystal violet, leuco crystal violet, and victoria blue. These dyes could be used illegally in aquaculture as they exhibit antimicrobial and antiparasitic properties. Malachite green is a common commercial fabric dye which had been widely used both prophylactically and in the treatment of fungal infection of both fish and eggs for over 60 years. It is also effective against several protozoal infestations, including agents causing proliferative kidney disease (PKD) and ichthyophthiriosis (white dot disease). Malachite green was regularly detected in aquaculture samples during the early years of the residues monitoring but as a result of increased industry awareness of its status as an unauthorised substance, supported by monitoring and enforcement, the use of malachite green has ceased with no non-compliant results reported since 2004. Its use had been primarily associated with freshwater farms and hatcheries; therefore, freshwater sites are particularly targeted by the NRCP. Malachite green is possibly both carcinogenic and genotoxic (i.e. damaging to DNA).

A minimum required performance level (MRPL) has been set for the sum of malachite green and its metabolite leuco malachite green<sup>2</sup> at  $2 \mu\text{g kg}^{-1}$  and the MI has set a decision limit of  $0.5 \mu\text{g kg}^{-1}$  for malachite green and leuco malachite green individually i.e. a sample is deemed non-compliant if detected above the decision limit of  $0.5 \mu\text{g kg}^{-1}$ . There has been no evidence of brilliant green, crystal violet, leuco crystal violet, victoria blue being used in aquaculture in Ireland; however, these dyes have the potential to be used to treat Saprolegnia (fungus) either when present on the fish or as a prophylactic treatment to protect fish eggs from infection. No MRPL has been set for brilliant green, crystal violet, leuco crystal violet, victoria blue. However as these dyes are unauthorised a decision limit of  $0.5 \mu\text{g kg}^{-1}$  has been set for all dyes.

**All 80 target samples (i.e. 32 harvest and 48 other stage of production) tested for malachite green and its metabolite leuco malachite green, crystal violet and its metabolite leuco crystal violet, brilliant green, victoria blue were found to be compliant i.e. negative.**

---

<sup>2</sup> The MRPL of  $2 \mu\text{g kg}^{-1}$  was reaffirmed by EFSA in 2016  
<https://www.efsa.europa.eu/de/efsajournal/pub/4530>

## OTHER NON NRCP TESTING

### **Ethoxyquin by GCMSMS**

In 2018, 10 samples were analysed for Ethoxyquin, a quinolone based antioxidant (register feed additive E325) which is used as an antioxidant in feed intended for farmed fish and also used to preserve freshly produced fishmeal against (auto) oxidation and self-ignition. It was further developed for use as a preservative in animal feeds as it protects lipids against peroxidation and stabilizes fat-soluble vitamins (A and E). Currently it is not authorised for use in food. This testing is not within the scope of the NRCP.

In 2018, EFSA carried out a reappraisal as its authorisation as a feed additive is temporarily suspended. However, this reappraisal was inconclusive due to overall lack of data. In order to obtain data on Irish farmed salmon in 2018, 10 salmon residue samples were analysed for ethoxyquin and its main prominent metabolite ethoxyquin dimer by subcontract laboratory (Eurofins) by GCMSMS. All samples were **below the limit of quantification** (LOQ) of 0.01 mg kg<sup>-1</sup> for ethoxyquin and ethoxyquin dimer with one sample just slightly above the LOQ for ethoxyquin dimer (0.011 mg kg<sup>-1</sup>).

## PART B

### Summary Report on 2018 Border Inspection Posts Product Testing undertaken at the Marine Institute

*Carried out under Council Directive 97/78/EC of 18 December 1997  
laying down the principles governing the organisation of veterinary checks on products entering the  
Community from third countries  
&  
Commission Regulation (EC) No 136/2004 of 22 January 2004  
laying down procedures for veterinary checks at Community border inspection posts on products  
imported from third countries*

Third Countries (non-EU) wishing to export animal products to the EU are required to satisfy the European Commission that their residue surveillance measures provide equivalent guarantees for EU consumers similar to EU residue surveillance 96/23/EC. Therefore, food imports of animal origin from a Third country may only be brought into the European Community through a Border Inspection Post (BIP) that has been approved for importation. In Ireland, the responsibility for carrying out checks at the BIP (Dublin Port and Shannon Airport) is with the DAFM BIP Officers.

In 2018, BIP samples were collected by DAFM Sampling Officers and samples for testing of antibacterials (B1a), anthelmintics (B2a), heavy metals (B3d) and dyes (B3e) were sent to the Marine Institute for testing in accordance with 2018 BIP plan (Appendix 6). In total 11 random samples were sent to the Institute by the DAFM Sampling Officers at Dublin Port. The 2018 BIP results as tested at the Marine Institute are presented in Table 7. **All 11 random samples were reported as compliant.**

In addition, 10 Safeguard samples (Safeguard 2016/1774/EC) were received from DAFM, consisting of 7 shrimp samples for tetracyclines and one prawn sample for cadmium, under Commission Decision 2010/381/EU ‘*on emergency measures applicable to consignments of aquaculture products imported from India and intended for human consumption*’ and its amendment Commission Implementing Decision 2012/690/EU. Results are presented in Table 8. **All 10 safeguard samples were reported as compliant.**

**Table 7: 2018 Border Inspection Posts results for seafood samples tested at Marine Institute**

MI CODE	DAFM Sample code	BIP Office	Product type	Substances for Identification	Result
RESBIP2018/5008	DPP2018/10046	Dublin Port	Frozen Shrimp	<sup>1</sup> Antibacterials	Compliant
RESBIP2018/5009	DPP2018/10046	Dublin Port	Frozen Shrimp	Avermectins	Compliant
RESBIP2018/5010	DPP2018/10046	Dublin Port	Shrimp	Malachite Green	Compliant
RESBIP2018/5011	DPP2018/10136	Dublin Port	Frozen Shrimp	Malachite Green	Compliant
RESBIP2018/5014	DPP2018/10002	Dublin Port	Canned Tuna	Mercury	Compliant
RESBIP2018/5018	DPP2018/10375	Dublin Port	Frozen Cod	Mercury	Compliant
RESBIP2018/5019	DPP2018/10283	Dublin Port	Frozen Shrimp	Malachite Green	Compliant
RESBIP2018/5020	DPP2018/10773	Dublin Port	Frozen Shrimp	<sup>1</sup> Antibacterials	Compliant
RESBIP2018/5021	DPP2018/10623	Dublin Port	Frozen Shrimp	Malachite Green	Compliant
RESBIP2018/5022	DPP2018/10623	Dublin Port	Frozen Shrimp	<sup>1</sup> Antibacterials	Compliant
RESBIP2018/5023	DPP2018/10623	Dublin Port	Frozen Shrimp	Avermectins	Compliant

<sup>1</sup> Antibacterials – Agar Plate Method (tetracyclines, florfenicol and quinolones) and Evidence Investigator (sulphonamides)

**Table 8: 2018 Safeguard results for fishery products tested at Marine Institute**

MI CODE	DAFM Sample code	BIP Office	Product type	Substances for Identification	Result
RESBIP2018/5001	DPP2018/9627	Dublin Port	Frozen Shrimp	Tetracyclines	Compliant
RESBIP2018/5002	DPP2018/9679	Dublin Port	Frozen Shrimp	Tetracyclines	Compliant
RESBIP2018/5003	DPP2018/9889	Dublin Port	Frozen Shrimp	Tetracyclines	Compliant
RESBIP2018/5007	DPP2018/10187	Dublin Port	Frozen Shrimp	Tetracyclines	Compliant
RESBIP2018/5012	DPP2018/10254	Dublin Port	Frozen Shrimp	Tetracyclines	Compliant
RESBIP2018/5013	DPP2018/10229	Dublin Port	Frozen Shrimp	Tetracyclines	Compliant
RESBIP2018/5015	DPP2018/10369	Dublin Port	Frozen Shrimp	Tetracyclines	Compliant
RESBIP2018/5016	DPP2018/10422	Dublin Port	Frozen Shrimp	Tetracyclines	Compliant
RESBIP2018/5017	DPP2018/10423	Dublin Port	Frozen Shrimp	Tetracyclines	Compliant
RESBIP2018/5024	DPP2018/10922	Dublin Port	Frozen Shrimp	Tetracyclines	Compliant

## Appendix 1: Source of Maximum Residues Limits, Decision Limits and Guideline Values used for comparison with the results for 2018

Parameter	Maximum Level or Decision Limit <sup>(6)</sup>	Source
<b>Group A Compounds<sup>1</sup>:</b>		
Methyltestosterone, 17 $\beta$ -Oestradiol, Chloramphenicol, Nitrofurans & Nitroimidazoles	These are banned substances and should not be detected.	
<b>Ivermectin</b>	0.4 $\mu\text{g kg}^{-1}$	Decision Limit <sup>3</sup>
<b>Doramectin</b>	0.4 $\mu\text{g kg}^{-1}$	Decision Limit <sup>3</sup>
<b>Emamectin B1a</b>	100 $\mu\text{g kg}^{-1}$	Maximum Residue Limit <sup>2</sup>
<b>Cypermethrin</b>	50 $\mu\text{g kg}^{-1}$	Maximum Residue Limit <sup>2</sup>
<b>Deltamethrin</b>	10 $\mu\text{g kg}^{-1}$	Maximum Residue Limit <sup>2</sup>
<b>Teflubenzuron</b>	500 $\mu\text{g kg}^{-1}$	Maximum Residue Limit <sup>2</sup>
<b>Diflubenzuron</b>	1000 $\mu\text{g kg}^{-1}$	Maximum Residue Limit <sup>2</sup>
<b>Antibacterial Substances</b>		
<b>Sulphonamides</b>	100 $\mu\text{g kg}^{-1}$	Maximum Residue Limit <sup>2</sup>
<b>Oxytetracycline (Tetracyclines)</b>	100 $\mu\text{g kg}^{-1}$	Maximum Residue Limit <sup>2</sup>
<b>Oxolinic Acid (Quinolones)</b>	100 $\mu\text{g kg}^{-1}$	Maximum Residue Limit <sup>2</sup>
<b>Flumequine (Quinolones)</b>	600 $\mu\text{g kg}^{-1}$	Maximum Residue Limit <sup>2</sup>
<b>Sarafloxacin (Quinolones)</b>	30 $\mu\text{g kg}^{-1}$	Maximum Residue Limit <sup>2</sup>
<b>Florfenicol</b>	1000 $\mu\text{g kg}^{-1}$	Maximum Residue Limit <sup>2</sup>
<b>EFSA PCB 6 <sup>7</sup></b>	75 $\mu\text{g kg}^{-1}$	EC Maximum Limit <sup>8</sup>
<b>HCB</b>	50 $\mu\text{g kg}^{-1}$	Norway (G) <sup>4</sup>
<b><math>\gamma</math> HCH</b>	100 $\mu\text{g kg}^{-1}$	Finland (S) <sup>4</sup>
<b>p,p'DDT and metabolites</b>	500 $\mu\text{g kg}^{-1}$	Finland (S) <sup>4</sup>
<b>Aldrin + Dieldrin</b>	100 $\mu\text{g kg}^{-1}$	Finland (S) <sup>4</sup>
<b>Endrin</b>	50 $\mu\text{g kg}^{-1}$	Finland(S) <sup>4</sup>
<b>Malachite Green</b>	0.5 $\mu\text{g kg}^{-1}$	Decision Limit <sup>3</sup>
<b>Leuco Malachite Green</b>	0.5 $\mu\text{g kg}^{-1}$	Decision Limit <sup>3</sup>
<b>Brilliant Green</b>	0.5 $\mu\text{g kg}^{-1}$	Decision Limit <sup>3</sup>
<b>Crystal Violet</b>	0.5 $\mu\text{g kg}^{-1}$	Decision Limit <sup>3</sup>
<b>Leuco Crystal Violet</b>	0.5 $\mu\text{g kg}^{-1}$	Decision Limit <sup>3</sup>
<b>Victoria Blue</b>	0.5 $\mu\text{g kg}^{-1}$	Decision Limit <sup>3</sup>
<b>Lead</b>	0.3 $\text{mg kg}^{-1}$	EC Maximum Limit <sup>5</sup>
<b>Cadmium</b>	0.05 $\text{mg kg}^{-1}$	EC Maximum Limit <sup>5</sup>
<b>Mercury</b>	0.5 $\text{mg kg}^{-1}$	EC Maximum Limit <sup>5</sup>

### Notes

1. Commission Regulation (EU) No 37/2010 (Table 2) and Directive 2008/97/EC: *Substances banned and should not be detected*
2. Commission Regulation No 37/2010 (Table 1) *on pharmacologically active substances and their classification regarding maximum residue limits in foodstuffs of animal origin.*
3. These compounds are not authorised for use in finfish, concentrations above the analytical methods decision limit are non-compliant.
4. OSPAR: *A compilation of standards and guidance values for contaminants in fish, crustaceans and molluscs for the assessment of possible hazards to human health*, Update 1993, JMP 17/3/10-E. (S) standard; (G) guidance value.
5. Commission Regulation (EC) No 1881/2006 *setting maximum levels for certain contaminant in foodstuffs and its amendments* Commission Regulation 629/2008/EC, Commission Regulation 420/2011/EC and Commission Regulation 488/2014/EC.
6. Maximum Residue Limits and Decision Limits concentration are on a wet weight basis.
7. EFSA PCB 6: sum of the following 6 CB congeners –PCB 28, 52, 101, 138, 153, 180.

8. Commission Regulation No 1259/2011 amending Regulation No. 1881/2006 *as regards maximum levels for dioxins, dioxin-like PCBs and non-dioxin like PCBs in foodstuffs.*

## Appendix 2: Accreditation to ISO 17025

The table below outlines the parameters as tested at the Marine Institute for which the Marine Institute is accredited by the Irish National Accreditation Board (INAB) to ISO 17025 as detailed in Scope Registration Number 130T.

Scope Registration Number 130T	
Test	SOP
Ivermectin, Emamectin B1a , Doramectin <sup>3</sup>	CHE-8
Mercury <sup>4</sup>	CHE-32
Teflubenzuron , Diflubenzuron <sup>3</sup>	CHE-42
<b>Dyes<sup>3</sup>:</b> Malachite Green, Crystal Violet, Victoria Blue, Leuco Crystal Violet, Leuco Malachite Green and Brilliant Green	CHE-167
Cadmium <sup>4</sup>	CHE-178
Lead <sup>4</sup>	CHE-178
Screening of Antibiotic Residues in Fish <sup>3</sup>	FHU-1
Screening of sulphadiazine <sup>3</sup>	FHU-119
Moisture % <sup>4</sup>	CHE-52
When collecting samples the laboratory complies with Council Directive 96/23/EC	CHE-6

<sup>3</sup> Accreditation is for finfish only

<sup>4</sup> Accreditation is for Marine Biota



### **Appendix 3: Quality Control**

To check the quality of the data produced during the 2018 National Surveillance Scheme for chemical residues in farmed fish, Quality Control (QC) samples in the form of either reagent blanks, spiked samples or Certified Reference Materials (CRMs) were analysed with each batch of samples tested by the Marine Institute. The quality assurance results were considered sufficient for the purpose of the monitoring programme. For CRMs, z-scores were calculated using the methodology of QUASIMEME (Quality Assurance of Marine Environment and Monitoring in Europe); A Z-score of between  $-2$  and  $+2$  is generally considered satisfactory for the purpose of environmental monitoring programmes. Where available the MI participate in Proficiency schemes such as FAPAS, QUASIMEME to verify our analytical methods independently. Quality Control information for tests carried out at the Marine Institute is available on request.

## Appendix 4: Methods of Analysis

Analysis carried out at the Marine Institute laboratories unless otherwise stated

### 1.1 Sample Collection and Preparation (MI SOP: CHE-6)

In accordance with the 2018 National Residues Control Plan for Aquaculture under Council Directive 96/23/EC, Staff authorised under the *Animal Remedies Act 1993*, collected samples at farms or at processing plants. All samples were transported to the laboratory under controlled conditions, while ensuring an unbroken chain of custody. Sub-samples were taken for both analytical and archive purposes and all sub-samples were stored frozen (< -18°C).

### 1.2 Analysis of Ivermectin, Doramectin and Emamectin B1a by Ultra-Fast Liquid Chromatography (UFLC) with Fluorescence Detection (MI SOP: CHE-8)

Approximately 5g of sample from each fish was homogenised and extracted with methanol. The extract was cleaned up by liquid/liquid partition and solid phase extraction techniques. The resultant residue was derivatised and analysed by liquid chromatography (UFLC) with fluorescence detection.

### 1.3 Analysis of Teflubenzuron and Diflubenzuron by Ultra-Fast Liquid Chromatography (UFLC) with Ultraviolet (UV) Detection (MI SOP: CHE-42)

This method involves the extraction of approximately 3g of tissue with acetonitrile followed by clean up using liquid/liquid partition and silica SPE. Quantification was carried out by reverse phase UFLC using an acetonitrile/water mobile phase and UV detection. Confirmation and peak purity was evaluated using a photodiode array detector.

### 1.4 Analysis for Cypermethrin and Deltamethrin by Gas Chromatography-Mass Spectrometry (GC-MS) –FERA

The analysis was carried out by the FERA, UK. The sample was extracted with ethyl acetate, prior to clean-up using gel permeation chromatography (HPGPC) and subsequent determination using gas chromatography with mass spectrometric detection (GC-MS).

### 1.5 Analysis of Dyes by Ultra-Fast Liquid Chromatography (UFLC) with MS/MS detection (MI SOP: CHE-167)

Samples were extracted for Dyes analysis with Acetonitrile by shaking in the presence of hydroxylamine and magnesium sulphate. The eluant is evaporated to dryness followed by reconstitution in a mixture of acetonitrile/water /ascorbic acid solution. This solution is centrifuged, filtered and analysed for brilliant green, crystal violet, leuco crystal violet, leuco malachite green, malachite green and victoria blue by Ultra-Fast Liquid Chromatography coupled to Mass Spectrometry (UFLC-MS/MS).

**1.6 Screening for Antibacterial Substances (Quinolones, Tetracyclines and Florfenicol) using modified Two Plate Test (MI SOP: FHU-1)**

Antimicrobial screening was carried by the Fish Health Unit (FHU) of the Marine Institute, using a modification of the Two Plate Test (TPT). The aim of this method is to reveal residues of substances with antibacterial activity by testing the fish tissue using agar plates that have been seeded with suitably sensitive bacterial cultures. This method is qualitative in nature and was used to detect residues of Quinolones, Tetracyclines and Florfenicol. Where confirmatory analysis was required for oxytetracyclines the samples were tested by RIKILT.

**1.7 Screening for sulphonamides by Evidence Investigator (MI SOP: FHU-119)**

Screening for sulphonamides was carried by the Fish Health Unit (FHU) of the Marine Institute using Immunoassay. This method is qualitative in nature and tested on the Evidence Investigator instrument. Where confirmatory analysis was required the samples were tested by EURL-ANSES.

**1.8 Screening for Group A Compounds by Elisa method**

Screening for Group A compounds was carried out by the Irish Equine Centre (IEC) using the Enzyme-Linked Immuno Sorbant Assay (ELISA) method. This method is qualitative in nature and was used to detect residues of 17 $\beta$ -oestradiol, chloramphenicol and methyltestosterone.

**1.9 Screening for Group B - Corticosteroids by Elisa method**

Screening for corticosteroids was carried out by the Irish Equine Centre (IEC) using the Enzyme-Linked Immuno Sorbant Assay (ELISA) method. Where further quantitative LCMSMS screening was required for corticosteroids the sample was tested by EURL (RIKILT).

**1.10 Analysis of Nitrofurans by Ultra Performance Liquid Chromatography with Mass Spectrometry detection (UPLC-MS/MS)**

Analysis of nitrofurans was carried out by Teagasc Food Research Centre (TFRC). Tissue bound residues of nitrofurans are hydrolysed with acid and derivatised with 2-nitrobenzaldehyde. The nitrophenyl derivatives are extracted with ethyl acetate and determined by Ultra Performance Liquid Chromatography coupled to Mass Spectrometry (UPLC-MS/MS) using deuterated analogues as internal standards for quantification. Metabolites of furazolidone, furaltadone, nitrofurantoin and nitrofurazone are analysed.

**1.11 Analysis of Nitroimidazoles by UPLC-MS/MS**

Analysis of nitroimidazoles was carried out by Teagasc Food Research Centre (TFRC). Samples are extracted with acetonitrile, water, magnesium sulphate and sodium chloride; defatted with n-hexane and concentrated. The residue content is determined by Ultra Performance Liquid Chromatography coupled to Mass Spectrometry (UPLC-MS/MS) and analysed for dimetridazole and its metabolite, ipronidazole and its metabolite, metronidazole and its metabolite, ornidazole and ronidazole.

**1.12 Analysis for Polychlorinated Biphenyls (PCBs) and Organochlorine Pesticides (OCPs) by GC/HRMS**

Analysis for PCBs and OCPs was carried out by a subcontracted laboratory (Eurofins). Prior to the extraction, <sup>13</sup>C-UL-labeled internal standards were added, followed by an extraction using a solid/lipid extraction and clean up by a multicolumn system. Concentration levels were

determined by (Gas chromatography - high resolution mass spectrometry (GC/HRMS) using a DB-5 capillary column.

**1.13 Analysis of Trace metals by Inductively Coupled Plasma -Mass Spectrometry (ICP-MS) (MI SOP CHE-178):**

Arsenic, cadmium, chromium, copper, lead, nickel, silver, zinc (and additional metals aluminium, cobalt, iron, manganese, selenium and vanadium).

Concentrated nitric acid (4ml) and hydrogen peroxide (4ml) was added to approximately 0.2g freeze-dried tissue, which was then digested in a laboratory microwave oven (CEM Mars Xpress). After cooling, samples were diluted to 50mls with deionised water. Trace metal concentrations were determined by ICP-MS (Agilent 7700x with High Matrix Introduction (HMI) system). Interferences were removed using a helium collision cell and appropriate correction equations.

**1.14 Analysis of Mercury by Cold Vapour Atomic Fluorescence Spectroscopy CV-AFS (MI SOP CHE-42):**

Concentrated nitric acid (4 ml) was added to approximately 0.2 g freeze-dried tissue, which was then digested in a laboratory microwave oven (CEM Mars Xpress). After cooling, potassium permanganate was added until the purple colour of the solution stabilized. Sufficient hydroxylamine sulphate/sodium chloride solution was added to neutralise the excess potassium permanganate and potassium dichromate was added as a preservative. The solution was diluted to 100mls using deionised water. Following reduction of the samples with tin (II) chloride, total mercury concentration was determined by Cold Vapour Atomic Fluorescence Spectroscopy (CV-AFS) using a PSA Merlin Analyser.

**1.15 Determination of Moisture Content (MI SOP CHE-52):**

The moisture content was determined by drying approximately 1g of tissue overnight in an oven at 104°C to constant weight.

**1.16 Analysis of Mycotoxins**

Analysis of Aflatoxins B1, B2, G1 and G2 was carried out by Wessling. The method involved the extraction of about 25g of muscle using dichloromethane and the extract was cleaned up on an immunoaffinity column. The subsequent determination of aflatoxins B1, B2, G1 and G2 was achieved using Liquid Chromatography with Fluorescence Detection after post column derivatisation.

**1.17 Ethoxquin**

Analysis for ethoxquin and ethoxquin dimer was carried out by a subcontracted laboratory (Eurofins). Prior to the extraction, internal standards were added to 2g tissue, followed by an extraction with a mixture of organic solvents (ethylacetate/hexane) and analysed by Gas chromatography - mass spectrometry (GC-MS/MS).

## Appendix 5: 2018 Plan for the Monitoring and Detection of Residues in Aquaculture products

### 1. National Legislation on use of substances listed in Annex I of Directive 96/23/EC

Animal Remedies Act, 1993 (No. 23 of 1993)

Animal Remedies Regulations, 2007 (SI No. 786 of 2007)

Control of Animal Remedies and their Residues Regulations 2009(SI No. 183 of 2009)

### 2. Relevant Departments and their infrastructure

- **Marine Institute (MI)** Rinvile, Oranmore, Co. Galway
- **Dept of Agriculture, Food & Marine (DAFM)**, Agriculture House, Kildare Street, Dublin 2
- **Sea-Fisheries Protection Authority (SFPA)**, Block B, Clogheen, Clonakilty, Co. Cork

### 3. Staff resources to carry out plan

- Authorised Officers will collect all samples.
- Analysis of Group A substances - performed by Irish Equine Centre, Kildare, Ashtown Food Research Centre (Teagasc), Dublin, ANSES-Fougères, France and RIKILT, The Netherlands.
- Analyses for Group B substances - performed within the Marine Institute with the exception of those indicated in the plan.

### 4. Approved laboratories

#### **Marine Institute (MI)**

Rinvile,  
Oranmore,  
Co. Galway  
H91 R673

#### **Irish Equine Centre (IEC)**

Johnstown,  
Naas,  
Co. Kildare  
W91 RH93

#### **Ashtown Food Research Centre**

Teagasc,  
Ashtown,  
Dublin 15  
D15 KN3K

#### **RIKILT**

Laboratory for Residue analysis,  
Akkermaalsbos 2,  
6708 WB Wageningen,  
The Netherlands

#### **ANSES - Fougères,**

10B rue Claude Bourgelat,  
Javené CS 40608 35306,  
Fougères Cedex,  
France

#### **Fera Science Ltd**

Sand Hutton,  
York,  
North Yorkshire  
YO41 1LZ

#### **Eurofins GfA GmbH,**

D-48161 Münster  
Germany

#### **Wessling GmbH,**

Kohlenstraße 51-55,  
44795 Bochum,  
Germany

### 5. Additional Information

For Group A analysis more than half the samples are 'on farm' samples, taken at various stages of production, the remainder are samples taken at harvest.

**DIRECTIVE 96/23/EC ANNUAL PLAN FOR THE EXAMINATION FOR RESIDUES  
IN FARMED FINFISH FOR THE YEAR 2018**

**Sampling levels and frequency:**

Minimum number of fish from which samples must be taken.

**Finfish.**

Total Tonnes Produced 2016	Minimum no. to be tested <sup>(a)</sup>	Minimum No. Group A	Minimum No. Group B
17,005	Production (tonnes)/100 = 170	1/3 Total Tested = 57	2/3 Total Tested = 113

<sup>(a)</sup> min no. to be tested will be based on 2016 finfish production figures as 2017 figures are not available

1	2	3	4	5	6	7	8	9
Group of Substances	Compounds	Matrix	Lab Method	CCbeta (Screening) Detection Capability	CCalpha (Confirmatory) Decision Limit	Level of action	Sample No.	Laboratory
Group A								
A 3 Steroids	Methyltestosterone	Muscle & Skin	(1) ELISA (2) GCMSMS	1)1.5 µg kg <sup>-1</sup>	2)0.05 µg kg <sup>-1</sup>	Presence	57 <sup>(b)</sup>	(1) IEC (2) EU-RL RIKILT
	17β-Oestradiol	Muscle & Skin	(1) ELISA (2) GCMSMS	1)1.5 µg kg <sup>-1</sup>	2)0.17 µg kg <sup>-1</sup>	0.5 µg kg <sup>-1</sup>	10 <sup>(b)</sup>	(1) IEC (2) EU-RL RIKILT
A 6 Compounds included in Annex IV Council Reg. 2377/90	<b>Chloramphenicol</b>	Muscle & Skin	(1) ELISA (2) LCMSMS	1)0.25 µg kg <sup>-1</sup> 1)0.3 µg kg <sup>-1(c)</sup>	2)0.05 µg kg <sup>-1</sup>	Presence	57 <sup>(b)</sup>	(1) IEC (2) EU-RL ANSES- Fougères
	<b>Nitrofurans</b> AOZ AMOX AHD SEM	Muscle & Skin	UPLCMSMS		0.041 µg kg <sup>-1</sup> 0.061 µg kg <sup>-1</sup> 0.057 µg kg <sup>-1</sup> 0.064 µg kg <sup>-1</sup>	Presence	12 <sup>(b)</sup>	TFRC
	<b>Nitroimidazoles</b> Dimetridazole HMMNI  Ipronidazole Hydroxyl-ipronidazole  Metronidazole Hydroxyl- Metronidazole  Ornidazole Ronidazole	Muscle & Skin	UPLCMSMS		0.12 µg kg <sup>-1</sup> 1.0 µg kg <sup>-1</sup>  0.15 µg kg <sup>-1</sup> 0.10 µg kg <sup>-1</sup>  0.10 µg kg <sup>-1</sup> 0.15 µg kg <sup>-1</sup>  0.29 µg kg <sup>-1</sup> 0.10 µg kg <sup>-1</sup>	Presence	12 <sup>(b)</sup>	TFRC

Column 4: (1) Screening Method, (2) Confirmatory Method

<sup>(b)</sup> At least 50% of Group A are “on farm” samples

1	2	3	4	5	6	7	8	9
Group of Substances	Compounds	Tissue	Lab Method	CCbeta (Screening) Detection Capability	CCalpha (Confirmatory) Decision Limit	Level of action	Sample No.	Laboratory
B 1 Antibacterial substances	Microbiological screening: <u>Quinolones</u> : -Oxolinic acid -Flumequine <u>Tetracyclines</u> : -oxytetracycline <u>Florfenicol</u>	Muscle & Skin	Modified EC 2-plate method	75 µg kg <sup>-1</sup> 150 µg kg <sup>-1</sup>  100 µg kg <sup>-1</sup> 750 µg kg <sup>-1</sup>	N/A	(c)	113	MI
	Screening: <u>Sulphonamides</u> -Sulphadiazine	Muscle & Skin	Immunoassay	50 µg kg <sup>-1</sup>	N/A	(c)	113	MI
	<u>Tetracycline</u>  Oxytetracycline Tetracycline Chlortetracycline Doxycycline	Muscle & Skin	LCMSMS		140 µg kg <sup>-1</sup> 123 µg kg <sup>-1</sup> 116 µg kg <sup>-1</sup> 114 µg kg <sup>-1</sup>	140 µg kg <sup>-1</sup> 123 µg kg <sup>-1</sup> 116 µg kg <sup>-1</sup> 114 µg kg <sup>-1</sup>	Confirmation and post screening identification of positive Microbiological Samples/ Bioassay	EU-RL RIKILT
	<u>Quinolones</u>  Ciprofloxacin Enrofloxacin Danofloxacin Difloxacin Flumequine Oxolinic acid Sarafloxacin		LC-Flu		118.3 µg kg <sup>-1</sup> 113.7 µg kg <sup>-1</sup> 112.3 µg kg <sup>-1</sup> 337.6 µg kg <sup>-1</sup> 624.5 µg kg <sup>-1</sup> 108.0 µg kg <sup>-1</sup> 37.4 µg kg <sup>-1</sup>	118.3 µg kg <sup>-1</sup> 113.7 µg kg <sup>-1</sup> 112.3 µg kg <sup>-1</sup> 337.6 µg kg <sup>-1</sup> 624.5 µg kg <sup>-1</sup> 108.0 µg kg <sup>-1</sup> 37.4 µg kg <sup>-1</sup>		EU-RL ANSES- Fougères

Column 4: (1) Screening Method, (2) Confirmatory Method

<sup>(c)</sup>For screened positive samples i.e. above CC<sub>beta</sub> for tetracyclines, quinolones, sulphonamides using MI in-house methods, these samples will be sent to subcontract laboratory for confirmatory testing



1	2	3	4	5	6	7	8	9
Group of Substances	Compounds	Tissue	Lab Method	CCbeta (Screening) Detection Capability	CCalpha (Confirmatory) Decision Limit	Level of action	Sample No.	Laboratory
B 1 Antibacterial substances	<u>Sulphonamides</u>	Muscle & Skin	LMSMS		108.0 µg kg <sup>-1</sup>	108.0 µg kg <sup>-1</sup>		EU-RL ANSES- Fougères
	Sulphathiazole				113.3 µg kg <sup>-1</sup>	113.3 µg kg <sup>-1</sup>		
	Sulphaquinoxaline				120.4 µg kg <sup>-1</sup>	120.4 µg kg <sup>-1</sup>		
	Sulphamethoxypyridazine				104.9 µg kg <sup>-1</sup>	104.9 µg kg <sup>-1</sup>		
	Sulphamonomethoxine				103.8 µg kg <sup>-1</sup>	103.8 µg kg <sup>-1</sup>		
	Sulphamerazine				109.3 µg kg <sup>-1</sup>	109.3 µg kg <sup>-1</sup>		
	Sulphadimethoxine				114.4 µg kg <sup>-1</sup>	114.4 µg kg <sup>-1</sup>		
	Sulphadiazine				109.0 µg kg <sup>-1</sup>	109.0 µg kg <sup>-1</sup>		
	Sulphachlorpyridazine				119.3 µg kg <sup>-1</sup>	119.3 µg kg <sup>-1</sup>		
	Sulphamethizole				122.9 µg kg <sup>-1</sup>	122.9 µg kg <sup>-1</sup>		
	Sulfacetamide				111.9 µg kg <sup>-1</sup>	111.9 µg kg <sup>-1</sup>		
	Sulfachlozine				106.4 µg kg <sup>-1</sup>	106.4 µg kg <sup>-1</sup>		
	Sulfadoxine				117.8 µg kg <sup>-1</sup>	117.8 µg kg <sup>-1</sup>		
	Sulfamethoxazole							
					Florfenicol			
B2 Other veterinary drugs								
B2 (a) Anthelmintics	Ivermectin	Muscle & Skin	UFLC-Flu	-	0.4 µg kg <sup>-1</sup>	0.4 µg kg <sup>-1</sup>	113	MI
	Enamectin B1a			-	124 µg kg <sup>-1</sup>	124 µg kg <sup>-1</sup>		
	Doramectin			-	0.4 µg kg <sup>-1</sup>	0.4 µg kg <sup>-1</sup>		
B2 (c) Carbamates / Pyrethroids	Cypermethrin	Muscle & Skin	GC-MS	5 µg kg <sup>-1</sup>	(d)	50 µg kg <sup>-1</sup>	113	FERA, UK
	Deltamethrin			5 µg kg <sup>-1</sup>	(d)	10 µg kg <sup>-1</sup>		
B2 (f) Other Pharmacologically active substances	Teflubenzuron	Muscle & Skin	UFLC-DAD	-	575 µg kg <sup>-1</sup>	575 µg kg <sup>-1</sup>	113	MI
	Difflubenzuron			-	1151 µg kg <sup>-1</sup>	1151 µg kg <sup>-1</sup>		
		Corticosteroids Betamethasone Dexamethasone Flumethasone	Muscle & Skin	(1) ELISA (2) LC-MS	1)1.5 µg kg <sup>-1</sup> 1.5 µg kg <sup>-1</sup> 1.5 µg kg <sup>-1</sup>	(d)	Presence	30 <sup>(f)</sup>

Column 4: (1) Screening Method, (2) Confirmatory Method

<sup>(d)</sup> Can provide confirmation under accreditation scope. CCalpha will be calculated at that point and level of action updated.

<sup>(f)</sup> At least 50% are “on farm” samples

1	2	3	4	5	7	8	9
Group of Substances	Compounds	Tissue	Lab Method	Detection limit	Level of action	No. samples	Laboratory
<b>B3 Other substances and environmental contaminants</b>							
B3(a) Organochlorine compounds including PCBs	<b>PCBs</b> Sum of 6 PCBs [PCB28, 52, 101, 138, 153, 180]	Muscle & Skin	GCHRMS	<sup>(g)</sup> 0.07 µg kg <sup>-1</sup> per individual congener	<sup>(h)</sup> 75 µg kg <sup>-1</sup>	20	Eurofins <sup>(i)</sup>
	<b>Chlorinated Pesticides <sup>(i)</sup></b>  γ-HCH DDT and metabolites <sup>(k)</sup> HCB Endrin Aldrin + Dieldrin		GCHRMS	 <sup>(g)</sup> 0.0625 µg kg <sup>-1</sup> <sup>(g)</sup> 0.125 µg kg <sup>-1</sup> <sup>(g)</sup> 0.125 µg kg <sup>-1</sup> <sup>(g)</sup> 0.075 µg kg <sup>-1</sup> <sup>(g)</sup> 0.0625 µg kg <sup>-1</sup>	Excess of Guidance value <sup>(i)</sup> 100 µg kg <sup>-1</sup> 500 µg kg <sup>-1</sup> 50 µg kg <sup>-1</sup> 50 µg kg <sup>-1</sup> 100 µg kg <sup>-1</sup>	10	
B3(c) Chemical elements	Lead		ICP-MS	7 µg kg <sup>-1</sup>	<sup>(h)</sup> 300 µg kg <sup>-1</sup>	10	MI
	Cadmium		ICP-MS	1 µg kg <sup>-1</sup>	<sup>(h)</sup> 50 µg kg <sup>-1</sup>	10	
	Mercury		CVAFS	2 µg kg <sup>-1</sup>	<sup>(h)</sup> 500 µg kg <sup>-1</sup>	10	
B3(d) Mycotoxins	Aflatoxin B1	Muscle & Skin	HPLC-FLD	0.01 µg kg <sup>-1</sup>	-	8	Wessling
	Aflatoxin B2			0.01 µg kg <sup>-1</sup>			
	Aflatoxin G1			0.01 µg kg <sup>-1</sup>			
	Aflatoxin G2			0.01 µg kg <sup>-1</sup>			

<sup>(g)</sup> Detection limit is at limit of quantification for PCBs and OCPs

<sup>(h)</sup> Commission Regulation No. 1881/2006 as amended setting maximum levels for certain contaminants in foodstuffs; matrix: muscle & skin as skin eaten

<sup>(i)</sup> There are no national or European maximum limits for organochlorine pesticides in fish. The guidance values used represent the strictest national limits applied by contracting parties to the OSPAR convention and as compiled by OSPAR (1992), in so far as they are known. These values have no statutory basis and are used in the absence of other criteria.

<sup>(j)</sup> Additional chlorinated pesticides are also included in routine testing but no action level or guidance values are available

<sup>(k)</sup> DDT and metabolites: sum of DDT-o,p', DDT-p,p', DDD-o,p', DDD-p,p', DDE-o,p', DDE-p,p'

<sup>(l)</sup> analysis of PCBs and chlorinated pesticides may be carried out by MI by end of 2018

1	2	3	4	5	6	7	8	9
Group of Substances	Compounds	Tissue	Lab Method	CCbeta (screening) Detection capability	CCalpha (confirmatory) decision limit	Level of action	No. samples	Laboratory
B3(e) Dyes	Malachite Green (MG) Leuco Malachite Green (LMG) Brilliant Green (BG) Crystal Violet (CV) Leuco Crystal Violet (LCV) Victoria Blue (VB)	Muscle & Skin	UFLCMSMS	- -	0.5 µg kg <sup>-1</sup> 0.5 µg kg <sup>-1</sup> 0.5 µg kg <sup>-1</sup> 0.5 µg kg <sup>-1</sup> 0.5 µg kg <sup>-1</sup> 0.5 µg kg <sup>-1</sup>	0.5 µg kg <sup>-1</sup> 0.5 µg kg <sup>-1</sup> 0.5 µg kg <sup>-1</sup> 0.5 µg kg <sup>-1</sup> 0.5 µg kg <sup>-1</sup> 0.5 µg kg <sup>-1</sup>	79 <sup>(m)</sup>  23 x salmon/sea trout 8 x freshwater trout (harvest) 8 x freshwater trout (osop) 40 x salmon smolts	MI

<sup>(m)</sup> 56 of the 79 samples for dyes are “on farm” samples.

## Appendix 6: Annual Plan for Sampling Fishery Products and Other Seafood at Border Inspection Posts. Dublin Port 2018

Group	Test	TRACES sampling list	Samples to be taken	Laboratory
Microbiological	Microbiological testing against Microbiological Criteria stipulated in Regulation 2073/2005	1037, 1040, 1042, 1045, 1074, 1076, 1079	<b>3 samples</b> , each of $n$ units. Targeting Fishery Products and other seafood for which Microbiological Criteria are stipulated in Regulation 2073/2005 and using the sampling plans ( $n$ values) outlined there in (See Note 1 below).	<p>Eurofins Food Testing Ireland Ltd Unit D13 North City Business Park North Road Dublin 11 Phone: 01 431 1306 Email: <a href="mailto:info@eurofins.ie">info@eurofins.ie</a></p> <p>Please quote Quotation reference 12-7384P when submitting samples.</p> <p><b>For results &amp; analytical queries</b> <b>contact:</b> Anna Coffey Email : <a href="mailto:AnnaCoffey@eurofins.ie">AnnaCoffey@eurofins.ie</a></p> <p><b>Eurofins offer a free collection service from Dublin. See Annex II.</b></p> <p><b>For queries on sample submission / collection:</b> Tel: 01 – 4311306 Email : <a href="mailto:samplerception@eurofins.ie">samplerception@eurofins.ie</a></p> <p><b>Please give lab as much notice as possible prior submission of sample.</b></p>

Group	Test	TRACES sampling list	Samples to be taken	Laboratory
	Histamine	Histamine	<b>4 samples</b> of each of <i>n</i> units. Targeting fishery products derived from species associated with high amounts of histidine or fish sauce produced by fermentation of fishery products (See Note 2 below).	<p><i>Dr. Brenda Lennon</i>  <i>Executive Chemist,</i>  <i>Public Analyst's</i>  <i>Laboratory,</i>  <i>Seamus Quirke Road,</i>  <i>Galway.</i>  <i>Tel: 091-581122</i>  <i>Fax: 091-581212</i>  <i>E-mail:</i>  <a href="mailto:Brenda.Lennon@hse.ie">Brenda.Lennon@hse.ie</a></p> <p><b>Please phone lab prior to submission of samples.</b></p>
A.6	Nitrofurán metabolites	Nitrofurazone, Nitrofurantoin, Furazolidone, Furaltadone	<b>4 aquaculture samples</b> (shellfish & finfish relative to consignment numbers)	<p>Dr. Martin Danaher,  Food Safety  Department,  Ashtown Food Research  Centre, Teagasc,  Ashtown, Dublin 15.  Tel: 01 8059500  Fax: 01 8059550  <a href="mailto:martin.danaher@teagasc.ie">martin.danaher@teagasc.ie</a></p>
A.6	Chloramphenicol	Chloramphenicol	<b>2 aquaculture samples</b> (shellfish & finfish relative to consignment numbers)	<p>Prof. Tom Buckley,  Irish Equine Centre,  Johnstown,  Naas,  Co. Kildare  Telephone: 045 866266  Fax: 045 866 273  <a href="mailto:tbuckley@equine-centre.ie">tbuckley@equine-centre.ie</a></p>
B.1	Antibacterial substances General 2 plate test & Immuno assay	Antibacterial substances	<b>3 aquaculture samples</b> (See Note 3) (shellfish & finfish relative to consignment numbers)	<p>Linda O'Hea  Technical  Manager/Acting  Residues Coordinator  Marine Institute  Rinville  Oranmore  Galway  H91 R673</p>
B.2.a	Anthelmintics (Avermectins)	Enamectin, Ivermectin Doramectin	<b>2 aquaculture samples</b> (See Note 3) (shellfish & finfish relative to consignment numbers)	<p>Phone: + 353 91 387332  Reception: 091-387200</p>

Group	Test	TRACES sampling list	Samples to be taken	Laboratory
B.3.e	Dyes	Malachite Green (MG) Leuco Malachite Green (LMG) Brilliant Green (BG) Crystal Violet (CV) Leuco Crystal Violet (LCV) Victoria Blue (VB)	<b>4 aquaculture samples</b> (See Note 3) (shellfish & finfish relative to consignment numbers)	Fax: 091-387201  Email: <a href="mailto:Linda.ohea@marine.ie">Linda.ohea@marine.ie</a> Website: <a href="http://www.marine.ie">www.marine.ie</a> <b>Please ensure lab receive prior notice where possible</b>
B.3.d	Chemical - Heavy Metals (Specify Pb, Cd, or Hg)	Pb Lead Hg Mercury Cd Cadmium	<b>2 fish samples</b> (See Note 3)	
	Sulphur Dioxide and 4-Hexylresorcinol		<b>2* prawn /shrimp samples</b> (1kg approx. per sample)  <b>*Please note PAL Cork can facilitate up to 10 samples for each sampling slot,</b>  Cork PAL can facilitate Sulphur Dioxide and 4-Hexylresorcinol analyses of prawns in the following sampling periods in 2018: <ul style="list-style-type: none"> <li>• 6<sup>th</sup> - 22<sup>nd</sup> June</li> <li>• 5<sup>th</sup> - 20<sup>th</sup> July</li> <li>• 5<sup>th</sup> - 20<sup>th</sup> November</li> </ul> <p>These sampling periods are in conjunction with SFPA and HSE sampling so where possible if these dates could be met please, however PAL will strive to fit in the samples at other times, but the turnaround times may be longer.</p>	Dr. Fred Davidson Cork Public Analyst's Laboratory St Finbarr's Hospital Cork Public Analyst. <a href="mailto:Fred.Davidson@hse.ie">Fred.Davidson@hse.ie</a> Tel: 021 4923245 Fax: 021 4923367  <b>Please copy <a href="mailto:sfpafoodsafety@sfpa.ie">sfpafoodsafety@sfpa.ie</a> when emailing Fred to inform him of sample submission.</b>

## Annual Plan for Sampling Fishery Products and Other Seafood at Border Inspection Posts. Shannon Airport 2018

Group	Test	TRACES residue sampling list No.	Samples to be taken	Laboratory
<b>Microbiological</b>	Microbiological testing against Microbiological Criteria stipulated in Regulation 2073/2005	1037, 1040, 1042, 1045, 1074, 1076, 1079	<b>1 samples</b> , each of <i>n</i> units. Targeting Fishery Products and other seafood for which Microbiological Criteria are stipulated in Regulation 2073/2005 and using the sampling plans ( <i>n</i> values) outlined there in (See Note 1 below).	Complete Laboratory Solutions (CLS) Ros Muc Connemara  <b>Co. Galway</b> Tel: 091 574355 Fax: 091 574356 Email : <a href="mailto:microfoodandwater@cls.ie">microfoodandwater@cls.ie</a>  <b>For collection details:</b> Kevin O'Toole is to be contacted in relation to collection of sample, At least one day's notice is required, please email Kevin on <a href="mailto:kotoole@cls.ie">kotoole@cls.ie</a> and copy <a href="mailto:microfoodandwater@cls.ie">microfoodandwater@cls.ie</a> <b>CLS operate a weekly collection service from Limerick. See Annex II.</b>  <b>Please quote reference 5881 when submitting samples.</b>  <b>Please give lab as much notice as possible prior submission of sample.</b>
B.3.d	Chemical - Heavy Metals (Specify Pb, Cd, or Hg)	Pb Lead Hg Mercury Cd Cadmium	<b>1 fish or crustacean samples</b> For live lobster samples can BIP officers please freeze the sample before sending to MI for heavy metal analysis. (See Note 3)	Linda O'Hea Technical Manager/Acting Residues Coordinator Marine Institute Rinville Oranmore Galway H91 R673  Phone: + 353 91 387332 Reception: 091-387200 Fax: 091-387201 Website: <a href="http://www.marine.ie">www.marine.ie</a> <b>Please ensure lab receive prior notice where possible</b>